

POCT Manual:

Point of Care Testing Procedures

Nova StatStrip Glucose Hospital Procedure

<https://www.medialab.com/dv/dl.aspx?d=3413114&dh=52a08f235c88&u=120645&uh=343eda21c66d>

Capillary Specimen Collection

<https://www.medialab.com/dv/dl.aspx?d=921640&dh=3124f&u=120645&uh=eacfa>

Fingerstick Procedure

<https://www.medialab.com/dv/dl.aspx?d=921674&dh=b7f11&u=120645&uh=eacfa>

Emergency Patient Glucose Testing

<https://www.medialab.com/dv/dl.aspx?d=921654&dh=2014c&u=120645&uh=eacfa>

pH Testing Using Nitrazine Paper OB

<https://www.medialab.com/dv/dl.aspx?d=921664&dh=d151c&u=120645&uh=eacfa>

pH Testing from Body Fluids

<https://www.medialab.com/dv/dl.aspx?d=921667&dh=850ea&u=120645&uh=eacfa>

Quantimetrix Urine Dipstick Control

<https://www.medialab.com/dv/dl.aspx?d=2465965&dh=c57f0&u=120645&uh=eacfa>

CoaguChek XS Plus Procedure-Allen Anti Coag

<https://www.medialab.com/dv/dl.aspx?d=3630048&dh=df609af23c99&u=120645&uh=343eda21c66d>

iSTAT Kaolin Activated Clotting Time

<https://www.medialab.com/dv/dl.aspx?d=909900&dh=886cc&u=120645&uh=eacfa>

MinMax Thermometer Humidity Meters

<https://www.medialab.com/dv/dl.aspx?d=921663&dh=2491e&u=120645&uh=eacfa>

ABL90 Procedures:

ABL90 FLEX Test Calculations

<https://www.medialab.com/dv/dl.aspx?d=2950036&dh=f0233&u=120645&uh=eacfa>

CP ABL90 FLEX Carboxyhemoglobin

<https://www.medialab.com/dv/dl.aspx?d=3009898&dh=50801&u=120645&uh=eacfa>

CP ABL90 FLEX Methemoglobin

<https://www.medialab.com/dv/dl.aspx?d=3009900&dh=a9d76&u=120645&uh=eacfa>

CP ABL90 FLEX Oxygen

<https://www.medialab.com/dv/dl.aspx?d=3067124&dh=3de0a&u=120645&uh=eacfa>

CP ABL90 FLEX Ionized Calcium

<https://www.medialab.com/dv/dl.aspx?d=3067173&dh=04b7f&u=120645&uh=eacfa>

CP ABL90 FLEX pH

<https://www.medialab.com/dv/dl.aspx?d=3067396&dh=d9b46&u=120645&uh=eacfa>

CP ABL90 FLEX Total Hemoglobin

<https://www.medialab.com/dv/dl.aspx?d=3067483&dh=45162&u=120645&uh=eacfa>

CP ABL90 FLEX Sodium

<https://www.medialab.com/dv/dl.aspx?d=3067525&dh=99299&u=120645&uh=eacfa>

CP ABL90 FLEX Potassium

<https://www.medialab.com/dv/dl.aspx?d=3067562&dh=6d632&u=120645&uh=eacfa>

CP ABL90 FLEX Glucose

<https://www.medialab.com/dv/dl.aspx?d=3068064&dh=863b0&u=120645&uh=eacfa>

CP ABL90 FLEX Carbon Dioxide

<https://www.medialab.com/dv/dl.aspx?d=3081796&dh=1067c&u=120645&uh=eacfa>

ABL90 Maintenance and Replacement

<https://www.medialab.com/dv/dl.aspx?d=876282&dh=4f79d&u=120645&uh=eacfa>

ABL90 Instruments and Equipment

<https://www.medialab.com/dv/dl.aspx?d=876281&dh=7e36e&u=120645&uh=eacfa>

ABL90 Quality Control

<https://www.medialab.com/dv/dl.aspx?d=876287&dh=1492f&u=120645&uh=eacfa>

ABL90 Maintenance Log

<https://www.medialab.com/dv/dl.aspx?d=2509245&dh=0b7f0&u=120645&uh=eacfa>

ABL90 Technical Service Call Sheet

<https://www.medialab.com/dv/dl.aspx?d=2679178&dh=b59be&u=120645&uh=eacfa>

Cardiopulmonary

Arterial Line Collection

<https://www.medialab.com/dv/dl.aspx?d=923239&dh=79dbd&u=120645&uh=eacfa>

Arterial Puncture Procedure

<https://www.medialab.com/dv/dl.aspx?d=923236&dh=9ef95&u=120645&uh=eacfa>

Capillary Blood Gas Colleciton

<https://www.medialab.com/dv/dl.aspx?d=923240&dh=57b27&u=120645&uh=eacfa>

Umbilical Cord Blood Collection

<https://www.medialab.com/dv/dl.aspx?d=923243&dh=86d67&u=120645&uh=eacfa>

CP Critical Values

<https://www.medialab.com/dv/dl.aspx?d=922590&dh=6001e&u=120645&uh=eacfa>

CP Sunquest Result Entry

<https://www.medialab.com/dv/dl.aspx?d=1502821&dh=6bef5&u=120645&uh=eacfa>

CP Results Review

<https://www.medialab.com/dv/dl.aspx?d=923505&dh=8dccc&u=120645&uh=eacfa>

CP Pending Log

<https://www.medialab.com/dv/dl.aspx?d=923274&dh=a3f07&u=120645&uh=eacfa>

CP SmarTerm Sign On

<https://www.medialab.com/dv/dl.aspx?d=924352&dh=25544&u=120645&uh=eacfa>